


森峤特篷房产品图册


SENLAIT - PREMIUM TENT & PAVILION PRODUCT CATALOG




















Email:senxia.calvin@gmail.com
Website:https://qr.1688.com/S/PGFAg0DOIntera-tionalwebsite:https://gzsxtent.en.alibaba.com







多功能户外篷房，适配婚礼宴会、商业活动、展会促销、仓储营地等多种场景。规格灵活定制，跨度大小随心选择，长度自由延伸。人字顶、圆弧顶、多边形等多样造型，颜值与实用性兼备。铝合金结构稳固耐用，防风防雨，搭建快速，可拆装重复利用，轻松打造高品质临时专属空间。

Multifunctional Outdoor PavilionsIdeal for a wide range of scenarios including wedding banquets, commercial events, exhibition promotions, warehousing and campsites.Flexible custom specifications: span can be adjusted as needed, with unlimited extendable length.

CONTENTS

目录

公司简介Company Profile 04
设备和资质Equipment and Qualifications 05
产品矩阵 Product Matrix 06
尖顶篷房Pagoda Marquee 07
人字顶篷房A-frame tent 09
圆弧顶篷房Arc Roof Tent 11
拱形篷房ArchTent 13
桃心顶篷房 Heart-shaped Peak Marquee 15
多边形篷房Polygon Marquee 17
组合式篷房MPT Series 19
铁艺活动篷房Wrought Iron Activity Canopy 21
双层篷房 Double Decker Series 23
球型帐篷Geodesic Dome Tent 25
应用场景-展览馆Application Scenario-Exhibition View 27
应用场景-体育馆 Application Scenario - Gymnasium 29
应用场景-婚庆活动Application Scenario - Wedding Events 31
应用场景-遮阳Application Scenario - Sunshade 33
应用场景-仓库Application Scenario-Warehouse 35
框架-铝合金Frame - Aluminum Alloy 37
篷布 tarpaulin 38
可选配置·门系列Optional Configuration · DOOR SERIES 40
可选配置·墙系列Optiona Configuration · WALL SERIES 41
可选配置·其他Optional Configuration Other · Accessories 42

01 公司简介
Company Profile




广州森峰特建筑科技有限公司专注帐篷酒店与度假房屋研发制造，产品广泛应用于旅游地产、房车营地、生态景区、文旅小镇、度假村等场景。公司拥有强大的专业研发团队，秉持“技术创新为动力、市场结果为导向” 的理念，深度挖掘客户需求，可提供帐篷酒店定制、建筑 / 景观 / 空间设计、软装搭配等全链条服务，打造规划 — 设计 — 生产 — 落地一站式轻奢露营地解决方案。工厂坐落于广州番禺，配备 5000㎡生产车间与 1000+㎡样品展厅，拥有自动化产线及十余台专业生产设备，产品线覆盖奢华、星空、野奢、夜间经济露营等多系列帐篷，适配多元运营业态。我们可承接急单与批量订单，质检体系完善，原材料均经过拉力、防水等测试，定制产品出厂前完成大件试装，严格遵循国际出口品质标准。

Guangzhou Senlait Building Technology Co., Ltd.specializes in the R&D and manufacturing of tent hotels and resort accommodations. Our products are widely applied in tourism real-estate, RV camps, ecological scenic spots, cultural-tourism towns, holiday resorts and other scenarios.Boasting a strong professional R&D team, we adhere to the philosophy of “Driven by technological innovation, guided by market results”. By deeply exploring customer demands, we deliver full-chain services including tent hotel customization, architectural / landscape / spatial design, and soft-furnishing matching. We provide one-stop light-luxury glamping resort solutions covering planning-design-production-on-site implementation.Our factory is located in Panyu, Guangzhou, equipped with a 5,000 ㎡ production workshop and over 1,000 ㎡ sample exhibition hall. We have automated production lines and more than ten sets of professional manufacturing equipment. Our product portfolio includes luxury, stargazing, glamping, night-economy camping and other tent series to fit diverse business operations.We accept urgent orders and bulk orders with a complete quality inspection system. All raw materials have passed tests such as tensile strength and waterproof performance. Custom-made products undergo pre-assembly of large components before delivery, in strict compliance with international export quality standards.


02 设备/资质

Equipment & Qualifications























03 产品矩阵
Product Matrix



尖顶篷房
Pagoda Tent







产品参数/Parameter

项目 Item	跨度（m） Span	边高（m） Eaves H	顶高（m） RidgeHeight	最长部件（m） LongestComp	最大风荷载（m） Max.WindLoad
C3	3	2.5	4.32	2.85	80km/h
C4	4		4.85	3.85	
C5	5		5.5	4.85	
C6	6		5.95	5.85	
C8	8	2.6	6.2	4.17	
C10	10		6.6	5.25	

材料信息/Material Information

篷房支架：铝合金6061/T6	Marquee Frame: Aluminum Alloy6061/T6
顶布:≥850g/m不透光白色PVC膜，防风雨、防紫外线、B1 M2级防火	Roof Cover: White opaque PVC membrane > 850g/m, weatherproof, UV-resistant, B1 & M2 fire-retardant
边布:半透光，≥650g/m	Side Cover: Semi-translucent, ≥2650g/m

尖顶篷房

Pagoda Tent










人字顶篷房
A-frame tent





产品参数/Parameter

项目 Item	跨度（m） Span	边高（m） Eaves H	顶高（m） RidgeHeight	间距（m） Bay spacing	最大风荷载（m） Max.WindLoad
S3	3.0	2.7	3.23	3.0	80km/h
S4	4.0		3.41		
S5	5.0		3.59		
S6	6.0		3.78		
S8	8.0		4.0		
S10	10.0		4.53		
S12	12.0		4.87		


材料信息/Material Information

篷房支架：铝合金6061/T6	Marquee Frame: Aluminum Alloy6061/T6
顶布:≥850g/m不透光白色PVC膜，防风雨、防紫外线、B1 M2级防火	Roof Cover: White opaque PVC membrane > 850g/m, weatherproof, UV-resistant, B1 & M2 fire-retardant
边布:半透光，≥650g/m	Side Cover: Semi-translucent, ≥2650g/m

人字顶篷房

A-frame tent










圆弧顶篷房
Arc-top marquee





产品参数/Parameter

项目 Item	宽度（m） Width	边高（m） Eaves H	顶高（m） RidgeHeight	间距（m） Bay spacing	最大风荷载（m） Max.WindLoad
A10	10	4.0	5.25	5	120km/h
A12	12		5.55		
A15	15		6.09		
A20	20		6.83		
A25	25		7.58		
A30	30		8.25		
A35	35		9.07		
A40	40		9.88		

材料信息/Material Information

篷房支架：铝合金6061/T6	Marquee Frame: Aluminum Alloy6061/T6
顶布:≥850g/m不透光白色PVC膜，防风雨、防紫外线、B1 M2级防火	Roof Cover: White opaque PVC membrane > 850g/m, weatherproof, UV-resistant, B1 & M2 fire-retardant
边布:半透光，≥650g/m	Side Cover: Semi-translucent, ≥2650g/m

圆弧顶篷房

Arc-top marquee










拱形篷房
Arcum Tent






产品参数/Parameter					
项目 Item	宽度（m） Width	边高（m） Eaves H	顶高（m） RidgeHeight	间距（m） Bay spacing	最大风荷载（m） Max.WindLoad
DP10	10	4	7.16	5	120km/h
DP15	15		8.75		
DP20	20		9.42		
DP30	30		13.2		
DP40	40		18		
DP50	50		21.5		

材料信息/Material Information	
篷房支架：铝合金6061/T6	Marquee Frame: Aluminum Alloy6061/T6
顶布:≥850g/m不透光白色PVC膜，防风雨、防紫外线、B1 M2级防火	Roof Cover: White opaque PVC membrane > 850g/m, weatherproof, UV-resistant, B1 & M2 fire-retardant
边布:半透光，≥650g/m	Side Cover: Semi-translucent, ≥2650g/m

拱形篷房

Arcum Tent










桃心顶篷房
Heart-Top Marquee





产品参数/Parameter

项目 Item	宽度（m） Width	边高（m） Eaves H	顶高（m） RidgeHeight	间距（m） Bay spacing	最大风荷载（m） Max.WindLoad
TFS15	15	4	8	5	120km/h
TFS20	20		9.17		
TFS25	25		10.3		
TFS30	30		11.3		
TFS35	35		13.8		
/	/		/		

材料信息/Material Information

篷房支架：铝合金6061/T6	Marquee Frame: Aluminum Alloy6061/T6
顶布:≥850g/m不透光白色PVC膜，防风雨、防紫外线、B1 M2级防火	Roof Cover: White opaque PVC membrane > 850g/m, weatherproof, UV-resistant, B1 & M2 fire-retardant
边布:半透光，≥650g/m	Side Cover: Semi-translucent, ≥2650g/m

桃心顶篷房

Heart-Top Marquee










多边形篷房
polygonal tent hall





产品参数/Parameter

项目 Item	宽度（m） Width	边高（m） Eaves H	顶高（m） RidgeHeight	间距（m） Bay spacing	最大风荷载（m） Max.WindLoad
PG6	6	2.6	3.6	3	100km/h
PG8	8		3.9	4	
PG10	10	3	4.6	5	
PG12	12		5	4.6	
PG15	15	4	6.45	4.56	
PG20	20		7.25	5.2	

材料信息/Material Information

篷房支架：铝合金6061/T6	Marquee Frame: Aluminum Alloy6061/T6
顶布:≥850g/m不透光白色PVC膜，防风雨、防紫外线、B1 M2级防火	Roof Cover: White opaque PVC membrane > 850g/m, weatherproof, UV-resistant, B1 & M2 fire-retardant
边布:半透光，≥650g/m	Side Cover: Semi-translucent, ≥2650g/m

多边形篷房
polygonal tent hall










组合式篷房
modular marquee





产品参数/Parameter					
项目 Item	宽度（m） Width	边高（m） Eaves H	顶高（m） RidgeHeight	间距（m） Bay spacing	最大风荷载（m） Max.WindLoad
MPT10	10	4	8.26	5	100km/h
MPT15	15		8.88		
MPT20	20		9.67		
MPT25	25		11.5		
/	/		/		
/	/		/		

材料信息/Material Information	
篷房支架：铝合金6061/T6	Marquee Frame: Aluminum Alloy6061/T6
顶布:≥850g/m不透光白色PVC膜，防风雨、防紫外线、B1 M2级防火	Roof Cover: White opaque PVC membrane > 850g/m, weatherproof, UV-resistant, B1 & M2 fire-retardant
边布:半透光，≥650g/m	Side Cover: Semi-translucent, ≥2650g/m

组合式篷房

modular marquee










铁艺活动篷房
Iron-Frame Event Marquee





产品参数/Parameter

项目 Item	宽度（m） Width	边高（m） Eaves H	顶高（m） RidgeHeight	间距（m） Bay spacing	最大风荷载（m） Max.WindLoad
AFS15	15	4	6.5	5	120km/h
AFS20	20		7.3		
AFS25	25		8.2		
AFS30	30		9		
AFS40	40		10.66		
AFS50	50		12.3		
AFS60	60		13.8		

材料信息/Material Information

篷房支架：铝合金6061/T6	Marquee Frame: Aluminum Alloy6061/T6
顶布:≥850g/m不透光白色PVC膜，防风雨、防紫外线、B1 M2级防火	Roof Cover: White opaque PVC membrane > 850g/m, weatherproof, UV-resistant, B1 & M2 fire-retardant
边布:半透光，≥650g/m	Side Cover: Semi-translucent, ≥2650g/m

铁艺活动篷房

Iron-Frame Event Marquee











双层篷房
Double-Decker Marquee





产品参数/Parameter					
项目 Item	宽度（m） Width	边高（m） Eaves H	顶高（m） RidgeHeight	间距（m） Bay spacing	最大风荷载（m） Max.WindLoad
DB10	10	8	9.8	5	120km/h
DB15	15		10.6		
DB20	20		11.5		
DB25	25		12.2		
DB30	30		13		
/	/		/		
/	/		/		

材料信息/Material Information	
篷房支架：铝合金6061/T6	Marquee Frame: Aluminum Alloy6061/T6
顶布:≥850g/m不透光白色PVC膜，防风雨、防紫外线、B1 M2级防火	Roof Cover: White opaque PVC membrane > 850g/m, weatherproof, UV-resistant, B1 & M2 fire-retardant
边布:半透光，≥650g/m	Side Cover: Semi-translucent, ≥2650g/m

双层篷房

Double-Decker Marquee











球型帐篷
Dome Tent





产品参数/Parameter

项目 Item	直径（m） Diameter	顶高（m） RidgeHeight	最大风荷载（m） Max.WindLoad
D5	5	3	100km/h
D6	6	3.5	
D7	7	3.5	
D8	8	4	
D10	10	5	
D15	15	7.5	
D20	20	10	
D30	30	13	
D40	40	15	
D50	50	20	

材料信息/Material Information

篷房支架：镀锌钢管	Marquee Frame: Galvanized Steel Pipe
顶布:≥850g/m不透光白色PVC膜，防风雨、防紫外线、B1 M2级防火	Roof Cover. White opaque PVC membrane ≥ 850g/m, weatherproof, UV-resistant, B1 & M2 fire-retardant
内衬：铝箔+PEVA	Inner Cover:Aluminum Foil + PEVA

球型帐篷

Dome Tent









应用场景-展览馆

Application Scenario - Exhibition Hall







应用场景-展览馆

Application Scenario - Exhibition Hall







模块化铝合金篷房，快速搭建，灵活空间，适用于展览、活动、营地等多场景

Modular Aluminum Tent, Fast Installation & Flexible Space, Ideal for Exhibitions, Events and Campsites



应用场景-体育馆

Application Scenario - Sports Hall










应用场景-体育馆

Application Scenario Sports Hall









模块化篷房打造专业室内体育场馆，开阔无柱空间，适配球类训练与赛事活动。

Modular tents build professional indoor sports halls. Column-free spacious interior for ball training and competitions.

应用场景-婚庆活动

Application Scenario - Wedding & Events







应用场景-婚庆活动

Application Scenario - Wedding & Events









高颜值模块化婚庆篷房，灵活空间布局，打造专属浪漫婚礼场地

High appearance modular wedding tent, flexible space layout to create exclusive romantic wedding venue

应用场景-遮阳

Application Scenario - Sunshade







应用场景-遮阳

Application Scenario - Sunshade










装配式遮阳篷房，高效防晒隔 UV，兼具防雨功能，打造舒适户外阴凉空间

Prefabricated sunshade tent, effective UV & sun blocking with rainproof function, creating comfortable cool outdoor space

应用场景-仓库

Application Scenario - Warehouse







应用场景-仓库

Application Scenario - Warehouse







装配式仓库篷房，宽敞储物空间，适合物料堆放、货物中转与长期仓储。


Prefabricated warehouse tent with spacious storage space, ideal for material stacking, cargo transit and long-term warehousing.

框架-铝合金

Application Scenario - Warehouse







篷房框架采用 6061-T6 / 6082-T6 铝镁硅合金（6 系铝合金），轻量化同时拥有出色结构强度，耐候抗腐蚀，材料可循环再利用，可满足户外大风、积雪、强光暴晒等复杂环境，为篷房结构的优选主材。

The tent frame adopts 6-series Al-Mg-Si alloy (6061-T6 / 6082-T6). It is lightweight with excellent structural strength, weather-resistant and anti-corrosive, and the material is recyclable. It can adapt to complex outdoor environments including strong winds, snow accumulation and intense sunlight exposure, making it the preferred main material for tent structures.

关键特性 Key Characteristics

1. 轻量高承重｜结构安全核心优势

构件轻便，搬运组装简易，无需重型机具；抗风等级8-12级，耐受风速 80-120km/h，支持60-80kg/㎡雪荷载。

1.Lightweight & High Load-bearing ｜ Core Advantage of Structural Safety

Light components for easy handling & assembly, no heavy equipment required. Wind resistance Level 8–12, withstand wind speed of 80–120 km/h, snow load capacity up to 60–80 kg/㎡.

2. 户外防腐｜长效耐用核心优势

铝材自动生成致密氧化膜，防锈耐盐雾；采用 10-15μm 阳极氧化或粉末喷涂表面处理，抗UV、耐老化，户外使用寿命 20–30 年。

2.Outdoor Corrosion Resistance ｜ Core Advantage of Long-term Durability

Aluminum forms dense oxide film naturally for rust and salt spray resistance. With 10–15μm anodizing or powder coating surface treatment, it is UV-resistant & anti-aging, offering a 20–30 year outdoor service life.

3. 易加工模块化｜拆装复用核心优势

模块化构造，螺栓装配无焊接；支持 50 次以上反复拆装，搬迁过程构件损耗低。

3. Easy Fabrication & Modular ｜ Core Advantage of Repeated Assembly

Modular structure, bolt assembly without welding; supports over 50 times of repeated assembly & disassembly with low component loss during relocation.


4. 安全环保｜绿色应用核心优势

无磁性材质，冲击无火花；材料 100% 可回收，低碳绿色环保。

4. Safety & Environmental Protection ｜ Core Advantage of Green Application

Non-magnetic material, no spark under impact; 100% recyclable material, low-carbon and eco-friendly.

篷布
PVC Tarpaulin







篷布以高强度基布为核心基材，复合多层功能涂层，并辅以专用表面防护处理一体成型。

The tarpaulin uses high-strength base fabric as the core substrate, composited with multi-layer functional coatings, and integrally formed with special surface protection treatment.

基材选用高强力聚酯纤维，采用 PVC 作为功能涂层，表层防护工艺包含亚克力、PVDF 与二氧化钛（TiO_2）三类方案。

The substrate is made of high-tenacity polyester fiber, PVC is adopted as functional coating, and three types of surface protection processes are available: acrylic, PVDF and TiO_2 (titanium dioxide).

TiO_2工艺，是将二氧化钛（TiO_2）粉体掺混至 PVDF 涂层体系之中。

The TiO_2 treatment refers to blending titanium dioxide (TiO_2) powder into the PVDF coating system.

篷布主流生产工艺分为涂层工艺与贴合工艺。本产品采用先进涂层工艺，贴合工艺属于较早一代生产技术。


There are two mainstream manufacturing processes for tarpaulins: coating process and lamination process. Our products adopt advanced coating process, while the lamination process belongs to the earlier generation of production technology.

篷布的抗紫外线性能（4~5 级）、防霉特性以及自洁效果，均依托专用表面处理工艺实现。

The tarpaulin’s UV resistance (Grade 4~5), mildew resistance and self-cleaning performance are achieved by dedicated surface treatment technology.


型材/安装
Profile / Assembly

型材尺寸/Profile Dimension



安装前/BeforeInstallation


A



所有不能破坏的特殊地面采用该（承重盘、承重框）

All special floors that cannot be damaged shall adoptthe load-bearing plates and load-bearing frames.


B



泥沙地面与草地面(所有软地面地基可用钢钎)

For silt-sand ground and grass ground, steel stakescan be used for all soft ground foundations.


C



混凝土地面采用该(膨胀螺栓)

Concrete ground adopts expansion bolts.

D



混凝土水泥墩预埋该(螺杆)

Concrete cement pier embedded screw .

可选配置·门系列

Optional Configurations · Door Series



单开玻璃门
Single door



双开玻璃门
Double door



电动 PVC 卷闸门
Electric PVC Roller Shutter Door



电动钢制卷闸门
Electric Steel Roller Shutter Door



推拉门
Sliding Door



防火安全门
Fire-Rated Door

可选配置・墙系列

Optional Configurations ・ Wall Series



ABS 墙

ABS Wall Panel System



玻璃墙

Glass Wall



PVC 墙

PVC Wall



棉岩板

Rock Wool Sandwich Panel



棉岩夹心板

Sandwich Panel

可选配置・其他

Optional Configurations ・ Others



透明 PVC 窗

Clear PVC Windows



地板

Wooden Floor




空调

Air Conditioner



钢钎

Steel Anchors



顶幔

Pagoda Lining



膨胀螺栓

Expansion Bolt



SENLAITE TENT

Phone:

•86-18566496632

Web & Mail

https://qr.1688.com/S/PGFAg0DOInterna-tionalwebsite:https://gzsxtent.en.alibaba.com

BOLIN TENT

Room 102, Building 1, No. 736 Shiqing Highway,Shilou Town, Panyu District, Guangzhou City

Email:

senxia.calvin@gmail.com