森 峠 特
SEN LAI TE

广州森峠特建筑科技有限公司

森峠特野奢帐篷宣传画册



PROMOTIONAL BROCHURE
FOR SENLETT CAMPING
TENT PRODUCTS

品质保障 | 指导安装 | 源头厂家

ABOUTUS

关于我们

广州森峡特建筑科技有限公司，是一家集帐篷酒店、度假房屋生产制造的企业，产品主要用于旅游地产、房车营地、生态景区、文旅小镇、度假村等。凭借强大的研发团队，秉承以技术创新为动力，以市场结果为导向的理念，不断追求创新与品质的同时，深刻关注用户的内心与需求。拥有二十多年来所累积的专业技术知识及研发、设计，生产的丰富经验，专注于户外露营产品及酒店帐篷研发定制。为各景区，户外营地，度假村提供个性化帐篷酒店及建筑设计、景观设计、空间设计、软装搭配等全面服务，为客户提供规划、设计、生产、建设的一站式奢华露营地解决方案。

Guangzhou Senlai Te Architectural Technology Co., Ltd. is an enterprise integrating the manufacturing of tent hotels and vacation houses. Its products are primarily used in tourism real estate, RV camps, ecological scenic areas, cultural tourism towns, and resorts. Backed by a strong R&D team and driven by technological innovation with a market-oriented approach, the company continuously pursues innovation and quality while deeply understanding users' inner needs and expectations. With over two decades of accumulated expertise in technology, research, design, and production, it specializes in customized development of outdoor camping products and hotel tents. The company provides comprehensive services—including personalized tent hotel and architectural design, landscape design, spatial design, and interior decoration—for scenic areas, outdoor camps, and resorts, delivering an end-to-end luxurious camping destination solution encompassing planning, design, manufacturing, and construction.

材质介绍

MATERIAL INTRODUCTION



PVC张拉膜

PVC TENSILE MEMBRANE

基布加密编织PVC防水涂层工艺，多重性能加倍。

"Crafted with a high-density woven base fabric and a PVC waterproof coating, delivering doubled performance."



防腐圆木

PRESERVED LOG

不易变形、不易有裂缝强度高保养得当寿命长达20年以上。

"High-strength, warp-resistant, and-crack-resistant. Lasts over 20 years with proper care."



帆布

TARPAULIN

稳定性好、抵挡气候能力强、有韧性、抗冲击、自清洗功能。

"Excellent stability, strong weather resistance, high toughness, impact resistance, and self-cleaning properties."



烤漆镀锌钢管

POWDER COATED GALVANIZED STEEL PIPE

加厚壁厚,强韧,不易生锈可承受日晒雨,使用寿命长达10年以上。

"Thick-walled, tough, and rust-proof. Weather-resistant with a lifespan of 10+ years."



COMPANY CULTURE

企业使命 COMPANY MISSION

我们致力于以卓越的品质、精湛的工艺和高效的产品交付能力满足我们的客户同时，通过持续的技术创新和管理优化提高产品合格率。

"We are committed to satisfying our customers with superior quality, exquisite craftsmanship, and efficient product delivery. Meanwhile, we strive to improve product yield rates through continuous technological innovation and management optimization."

企业精神 CORPORATE SPIRIT

我们对每一个环节都严格把控，追求产品的品质，不断优化生产工艺，提高产品性能和可靠性，为客户提供高质量、耐用的产品。

"From start to finish, we maintain rigorous control over every detail. By constantly refining our craftsmanship, we improve performance and reliability to provide our customers with high-quality, durable products."

企业愿景 CORPORATE VISION

企业的发展离不开客户的支持和合作伙伴的帮助，通过建立长期稳定的合作关系携手共创美好的未来，实现互利共赢。

"Our growth is built upon the support of our clients and the partnership of our allies. We are dedicated to building long-term, stable relationships to create a brighter future together and achieve mutual success."

企业规划 CORPORATE STRATEGY

传承公司文化，培养公司核心价值观，建立完善的公司治理结构和人才培养机制，确保公司持续稳定发展，打造更优质的产品。

"We are dedicated to upholding our corporate culture and fostering core values. By establishing a sound corporate governance structure and a robust talent development mechanism, we ensure the company's sustainable and stable growth, ultimately delivering superior products."



目录 /Contents

01 *PART*

球形帐篷系列 /SPHERE SERIES

QX.....01
QX.....02
QX.....03
QX.....04
QX.....05
QX.....06

02 *PART*

酒店帐篷系列 / HOTEL SERIES

JD.....01
JD.....02
JD.....03
JD.....04
JD.....05
JD.....06
JD.....07
JD.....08
JD.....09
JD.....10
JD.....11
JD.....12

03 *PART*

轻奢帐篷系列 / LIGHT LUXURY

QS.....01
QS.....02
QS.....03
QS.....04
QS.....05
QS.....06
QS.....07
QS.....08
QS.....09
QS.....10
QS.....11
QS.....12

04 *PART*

异形帐篷系列 / IRREGULAR SHAPE

QS.....01
QS.....02
QS.....03
QS.....04

05 *PART*

天幕帐篷系列 / CANOPY

TK.....01
TK.....02
TK.....03
TK.....04
TK.....05
TK.....06
TK.....07
TK.....08

DOME TENT SERIES

球形帐篷系列



QX-01



QX-02




QX-03



QX-04



QX-05



QX-06

LODGE TENT SERIES

酒店帐篷系列



JD-01



JD-02



JD-03



JD-04



JD-05



JD-06



JD-07



JD-08



JD-09



JD-10



JD-11



JD-12

SAFARI TENT SERIES

轻奢帐篷系列



QS-01



QS-02



QS-03



QS-04



QS-05



QS-06



QS-07



QS-08



QS-09



QS-10



QS-11



QS-12

POLYGON TENT SERIES

异形帐篷系列



YX-01 支持定制



YX-02 支持定制



YX-03 支持定制




YX-04 支持定制

STRETCH TENT SERIES

天幕帐篷系列



TK-01



TK-02



TK-03



TK-04



TK-05



TK-06



TK-07



TK-08

DETAILS EXPLANATION 详细说明

SPHERICAL TENT SERIES
球形帐篷系列

1.PVC 外膜

自洁篷布，实用性强;
防水隔热，防潮防霉。

1.PVC Cover

Self cleaning tarpaulin with strong practicality;Waterproof and heat-insulating, moisture-proof and mildew proof.

2.保温内膜

颜色样式，多种可选;
保温隔热，美观大方。

2. Insulated Inner Cover

Color styles,multiple options to choose from;Thermal insulation,beautiful and elegan.

3.框架结构

三角形结构单元设计;
具备强稳定性与抗风性。

3. Frame Structure


Design of triangular structural units;Has strong stability and wind resistance.

4.钢构地台

内部钢方通作为龙骨;
外部铺设防腐木地板。

4. Steel Platform

Internal steel square tube serves as thekeel;External installation of anticorrosionwooden flooring



SPHERE SERIES





产品参数 PRODUCT PARAMETERS

主体尺寸	6m*6m	Main dimensions	6m*6m
帐篷高度	3.75m	Tent height	3.75m
室内尺寸	6m*6m	Interior dimensions	6m*6m
室内面积	28.27m²	Interior area	28.27m²
帐篷展开尺寸	-	tarpaulin unfolded dimensions	-
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	PVC850g张拉膜+PVC透明张拉膜	Outer tent material	850g PVC tensile membrane + transparent PVC tensile membrane
内帐材质	铝箔+保温隔热装饰棉(多种可选)	Inner tent material	Aluminum foil + thermal insulation decorative cotton (various options available)
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, windproof, rainproof, and mildew resistant

SPHERICAL TENT









DETAILS EXPLANATION 详细说明

HOTEL TENT SERIES
酒店帐篷系列

1.PVDF外膜

自洁篷布，实用性强;
防水隔热，防潮防霉。

1.PVDF Cover

Self cleaning tarpaulin with strong practicality;Waterproof and heat-insulating, moisture-proof and mildew proof.

2.保温内帐

双层设计，保温隔热;
颜色可选，美观大方。

2. Insulated Inner Cover

Double layer design,thermal insulation;Color options are available,beautiful and elegant.

3.框架结构

木纹镀锌管，美观耐用;
具备强稳定性与抗风性。

3. Frame Structure


Wood grain galvanized pipe,beautiful anddu rable;Has strong stability and wind resistance.

4.钢构地台

内部钢方通作为龙骨;
外部铺设防腐木地板。


4. Steel Platform

Internal steel square tube serves as thekeel;External installation of anticorrosionwooden flooring



HOTEL SERIES





产品参数 PRODUCT PARAMETERS

主体尺寸	5m*5m	Main dimensions	5m*5m
帐篷高度	4.8m	Tent height	4.8m
覆盖尺寸	6.4m*6.4m	coverage size	6.4m*6.4m
覆盖面积	41m²	coverage area	41m²
篷布展开尺寸	7m*7m	tarpaulin unfolded dimensions	7m*7m
篷布展开面积	49m²	tarpaulin unfolded area	49m²

产品信息 DETAILS EXPLANATION

主体框架	防锈钢材	Main frame	Rust-resistant steel
外帐材质	1050g遮光PVDF张拉膜	Outer tent material	1050g opaque PVDF tension membrane
内帐材质	850gPVC张拉膜	Inner tent material	850g PVC tension membrane
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, windproof, rainproof, and mildew resistant

SINGLE-PEAK FOUR-CORNER TENT










HOTEL SERIES





产品参数 PRODUCT PARAMETERS


主体尺寸	6m*6m	Main dimensions	6m*6m
帐篷高度	4.8m	Tent height	4.8m
覆盖尺寸	10.92m*9.05m	coverage size	10.92m*9.05m
覆盖面积	87m^2	coverage area	87m^2
帐篷展开尺寸	7.8m*9.3m	tarpaulin unfolded dimensions	7.8m*9.3m
帐篷展开面积	72.54m^2	tarpaulin unfolded area	72.54m^2

产品信息 DETAILS EXPLANATION

主体框架	防锈钢材	Main frame	Rust-resistant steel
外帐材质	1050g遮光PVDF张拉膜	Outer tent material	1050g opaque PVDF tension membrane
内帐材质	850gPVC张拉膜	Inner tent material	850g PVC tension membrane
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, windproof, rainp roof, and mildew resistant

SINGLE-PEAK PENTAGONAL TENT










HOTEL SERIES





产品参数 PRODUCT PARAMETERS

主体尺寸	5.8m*5.8m	Main dimensions	5.8m*5.8m
帐篷高度	4.8m	Tent height	4.8m
覆盖尺寸	6.3m*6.3m	coverage size	6.3m*6.3m
覆盖面积	40m²	coverage area	40m²
帐篷展开尺寸	7.8m*7.8m	tarpaulin unfolded dimensions	7.8m*7.8m
帐篷展开面积	50m²	tarpaulin unfolded area	50m²

产品信息 DETAILS EXPLANATION

主体框架	防锈钢材	Main frame	Rust-resistant steel
外帐材质	1050g遮光PVDF张拉膜	Outer tent material	1050g opaque PVDF tension membrane
内帐材质	850gPVC张拉膜	Inner tent material	850g PVC tension membrane
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, windproof, rainp roof, and mildew resistant

SINGLE-PEAK HEXAGONAL TENT










HOTEL SERIES





产品参数 PRODUCT PARAMETERS

主体尺寸	6m*6m	Main dimensions	6m*6m
帐篷高度	5m	Tent height	5m
覆盖尺寸	8m*8m	coverage size	8m*8m
覆盖面积	53m²	coverage area	53m²
帐篷展开尺寸	8.9m*8.9m	tarpaulin unfolded dimensions	8.9m*8.9m
帐篷展开面积	55m²	tarpaulin unfolded area	55m²

产品信息 DETAILS EXPLANATION

主体框架	防锈钢材	Main frame	Rust-resistant steel
外帐材质	1050g遮光PVDF张拉膜	Outer tent material	1050g opaque PVDF tension membrane
内帐材质	850gPVC张拉膜	Inner tent material	850g PVC tension membrane
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, windproof, rainproof, and mildew resistant

SINGLE-PEAK OCTAGONAL TENT









HOTEL SERIES





产品参数 PRODUCT PARAMETERS

主体尺寸	13.1m*11m	Main dimensions	13.1m*11m
帐篷边高	2.6m	side height of tent	2.6m
覆盖尺寸	17.3m*15.3m	coverage size	17.3m*15.3m
覆盖面积	26m²	coverage area	26m²
篷布展开尺寸	-	tarpaulin unfolded dimensions	-
篷布展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	850g PVC张拉膜/1050g遮光PVDF张拉膜	Outer tent material	850g PVC Tensile Membrane/1050g Blackout PVDF Tensile Membrane
内帐材质	铝箔+保温棉(多种材质可选)	Inner tent material	Aluminum Foil + Thermal Insulation Cotton (Various materials available)
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

SINGLE PEAK STACKED ROOF TENT










HOTEL SERIES





产品参数 PRODUCT PARAMETERS

主体尺寸	6m*8m	Main dimensions	6m*8m
帐篷边高	2.6m	side height of tent	2.6m
覆盖尺寸	6m*8m	coverage size	6m*8m
覆盖面积	48m²	coverage area	48m²
篷布展开尺寸	-	tarpaulin unfolded dimensions	-
篷布展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	850g PVC张拉膜/1050g遮光PVDF张拉膜	Outer tent material	850g PVC Tensile Membrane/1050g Blackout PVDF Tensile Membrane
内帐材质	铝箔+保温棉(多种材质可选)	Inner tent material	Aluminum Foil + Thermal Insulation Cotton (Various materials available)
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

SINGLE-PEAKED QUADRILATERAL LUXURY GLAMPING TENT










HOTEL SERIES





产品参数 PRODUCT PARAMETERS

主体尺寸	5m*8m	Main dimensions	5m*8m
帐篷边高	2.6m	side height of tent	2.6m
覆盖尺寸	7.4m*10.4m	coverage size	7.4m*10.4m
覆盖面积	86m²	coverage area	86m²
篷布展开尺寸	-	tarpaulin unfolded dimensions	-
篷布展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvan izedSteel Tube
外帐材质	850g PVC张拉膜/1050g 遮光PVDF张拉膜	Outer tent material	850g PVC Tensile Membrane/1050g Blackout PVDF Tensile Membrane
内帐材质	铝箔+保温棉 (多种材质可选)	Inner tent material	Aluminum Foil + Thermal Insulation Cotton (Various materials available)
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、 灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

SMALL TWIN-PEAK TENT










HOTEL SERIES





产品参数 PRODUCT PARAMETERS

主体尺寸	20m*10m	Main dimensions	20m*10m
帐篷边高	2.8m	side height of tent	2.8m
覆盖尺寸	25.8m*15.8m	coverage size	25.8m*15.8m
覆盖面积	408m²	coverage area	408m²
帐篷展开尺寸	26.3m*15.8m	tarpaulin unfolded dimensions	26.3m*15.8m
帐篷展开面积	345m²	tarpaulin unfolded area	345m²

产品信息 DETAILS EXPLANATION

主体框架	防锈钢材	Main frame	Rust-resistant steel
外帐材质	1050g遮光PVDF张拉膜	Outer tent material	1050g opaque PVDF tension membrane
内帐材质	850gPVC张拉膜	Inner tent material	850g PVC tension membrane
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

TWIN-PEAK TENT











HOTEL SERIES







产品参数 PRODUCT PARAMETERS

主体尺寸	18m*6m	Main dimensions	18m*6m
外部高度	5.3m	External height	5.3m
内部高度	2.7m	Internal Height	2.7m
覆盖面积	85.06m^2	coverage area	85.06m^2
帐篷展开尺寸	21.61m*10.78m	tarpaulin unfolded dimensions	21.61m*10.78m
帐篷展开面积	232.87m^2	tarpaulin unfolded area	232.87m^2

产品信息 DETAILS EXPLANATION

主体框架	防锈钢材	Main frame	Rust-resistant steel
外帐材质	1050g遮光PVDF张拉膜	Outer tent material	1050g opaque PVDF tension membrane
内帐材质	850gPVC张拉膜	Inner tent material	850g PVC tension membrane
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

TRIPLE-PEAK TENT










HOTEL SERIES





产品参数 PRODUCT PARAMETERS

主体尺寸	12m*11m	Main dimensions	12m*11m
外部高度	4.6m	External height	4.6m
覆盖尺寸	12m*11m	coverage size	12m*11m
覆盖面积	102m^2	coverage area	102m^2
帐篷边高	-	Side height of the tent	-
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	1050g遮光PVDF张拉膜	Outer tent material	1050g opaque PVDF tension membrane
内帐材质	铝箔+保温棉 (多种材质可选)	Inner tent material	Aluminum Foil + Thermal Insulation Cotton (Various materials available)
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、 灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

T-SHAPED BAR TENT









GLAMPING TENT SERIES
轻奢帐篷系列

1.PVC 外膜

自洁篷布，实用性强;
防水隔热，防潮防霉。

1.PVC Cover

Self cleaning tarpaulin with strong practicality;Waterproof and heat-insulating, moisture-proof and mildew proof.

2.保温内帐

颜色样式，多种可选;
保温隔热，美观大方。

2. Insulated Inner Cover

Color styles,multiple options to choosefrom;
Thermal insulation,beautiful and elegant.

3.框架结构

木纹镀锌管，美观耐用;
具备强稳定性与抗风性。

3. Frame Structure


Wood grain galvanized pipe,beautiful anddu rable;Has strong stability and wind resistance.

4.钢构地台

内部钢方通作为龙骨;
外部铺设防腐木地板。


4. Steel Platform

Internal steel square tube serves as thekeel;External installation of anticorrosionwooden flooring



LIGHT LUXURY





产品参数 PRODUCT PARAMETERS

主体尺寸	5m*9m	Main dimensions	5m*9m
外部高度	3.6m	External height	3.6m
覆盖尺寸	5.2m*9.2m	coverage size	5.2m*9.2m
覆盖面积	47.84m²	coverage area	47.84m²
帐篷边高	-	Side height of the tent	-
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	850gPVC张拉膜	Outer tent material	850g PVC tension membrane
内帐材质	900D牛津布PEVA 环保材料	Inner tent material	900D Oxford fabric with eco-friendly PEVA material
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、 灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

EUROPEAN-STYLE NOMADIC TENT










LIGHT LUXURY





产品参数 PRODUCT PARAMETERS

主体尺寸	5m*9m	Main dimensions	5m*9m
外部高度	3.6m	External height	3.6m
覆盖尺寸	5.2m*9.2m	coverage size	5.2m*9.2m
覆盖面积	47.84m²	coverage area	47.84m²
外部高度	-	Side height of the tent	-
帐篷展开面积	47.84m²	tarpaulin unfolded area	47.84m²

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	850gPVC张拉膜	Outer tent material	850g PVC tension membrane
内帐材质	900D牛津布PEVA 环保材料	Inner tent material	900D Oxford fabric with eco-friendly PEVA material
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、 灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

PITCHED-ROOF NOMADIC TENT










LIGHT LUXURY





产品参数 PRODUCT PARAMETERS

主体尺寸	5m*9m	Main dimensions	5m*9m
外部高度	4.3m	External height	4.3m
覆盖尺寸	5.2m*9.2m	coverage size	5.2m*9.2m
覆盖面积	47.84m²	coverage area	47.84m²
帐篷边高	-	Side height of the tent	-
帐篷展开面积	-	tarpaulin unfolded area	-


产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	850gPVC张拉膜	Outer tent material	850g PVC tension membrane
内帐材质	900D牛津布PEVA 环保材料	Inner tent material	900D Oxford fabric with eco-friendly PEVA material
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、 灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

COUNTRYSIDE NOMADIC TENT










LIGHT LUXURY





产品参数 PRODUCT PARAMETERS

主体尺寸	5m*9m	Main dimensions	5m*9m
外部高度	5.5m	External height	5.5m
覆盖尺寸	5.2m*9.2m	coverage size	5.2m*9.2m
覆盖面积	47.84m²	coverage area	47.84m²
帐篷边高	-	Side height of the tent	-
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	850gPVC张拉膜	Outer tent material	850g PVC tension membrane
内帐材质	900D牛津布PEVA 环保材料	Inner tent material	900D Oxford fabric with eco-friendly PEVA material
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、 灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

DOUBLE-LAYER NOMADIC TENT










LIGHT LUXURY





产品参数 PRODUCT PARAMETERS

主体尺寸	5m*9m	Main dimensions	5m*9m
外部高度	3.75m	External height	3.75m
覆盖尺寸	5m*9m	coverage size	5m*9m
覆盖面积	45m²	coverage area	45m²
帐篷边高	-	Side height of the tent	-
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管/防腐圆木	Main frame	Baked enamel galvanized steel pipe / Anti-corrosion round log
外帐材质	850gPVC张拉膜	Outer tent material	850g PVC tension membrane
内帐材质	900D牛津布PEVA 环保材料	Inner tent material	900D Oxford fabric with eco-friendly PEVA material
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, wind resistant, rainproof, and mildew proof

SAILBOAT NOMADIC TENT










LIGHT LUXURY





产品参数 PRODUCT PARAMETERS

主体尺寸	9.3m*5.6m	Main dimensions	9.3m*5.6m
外部高度	7.7m	External height	7.7m
覆盖尺寸	9.3m*5.6m	coverage size	9.3m*5.6m
覆盖面积	52.08m²	coverage area	52.08m²
帐篷边高	-	Side height of the tent	-
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管/防腐圆木	Main frame	Baked enamel galvanized steel pipe / Anti-corrosion round log
外帐材质	850gPVC张拉膜	Outer tent material	850g PVC tension membrane
适用场地	草地、山地、水泥地、沙滩等	Applicable venues	Grassland, mountains, concrete, beaches, etc.
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, wind resistant, rainproof, and mildew proof

A-FRAME TIPI










LIGHT LUXURY





产品参数 PRODUCT PARAMETERS

主体尺寸	3m*3.7m	Main dimensions	3m*3.7m
外部高度	3.8m	External height	3.8m
覆盖尺寸	3m*4.7m	coverage size	3m*4.7m
覆盖面积	14.1m^2	coverage area	14.1m^2
帐篷边高	-	Side height of the tent	-
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	850gPVC张拉膜	Outer tent material	850g PVC tension membrane
内帐材质	900D牛津布 PEVA环保材料	Inner tent material	Aluminum Foil + Thermal Insulation Cotton (Various materials available)
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, wind resistant, rainproof, and mildew proof

SMALL NOMAD TENT










LIGHT LUXURY





产品参数 PRODUCT PARAMETERS

主体尺寸	5m*9m	Main dimensions	5m*9m
外部高度	4.2m	External height	4.2m
覆盖尺寸	5.2m*9.2m	coverage size	5.2m*9.2m
覆盖面积	47.84m²	coverage area	47.84m²
帐篷边高	-	Side height of the tent	-
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	850gPVC张拉膜	Outer tent material	850g PVC tension membrane
内帐材质	900D牛津布 PEVA环保材料	Inner tent material	Aluminum Foil + Thermal Insulation Cotton (Various materials available)
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, wind resistant, rainproof, and mildew proof

A-FRAME NOMAD TENT










LIGHT LUXURY





产品参数 PRODUCT PARAMETERS

主体尺寸	3.3m*7m	Main dimensions	3.3m*7m
外部高度	4.2m	External height	4.2m
覆盖尺寸	3.5m*7.2m	coverage size	3.5m*7.2m
覆盖面积	25.2m^2	coverage area	25.2m^2
帐篷边高	-	Side height of the tent	-
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	850g PVC张拉膜/ 1050g遮光PVDF张拉膜	Outer tent material	850g PVC Tensile Membrane / 1050g Blackout PVDF Tensile Membrane
内帐材质	铝箔+保温棉 (多种材质可选)	Inner tent material	Aluminum Foil + Thermal Insulation Cotton (Various materials available)
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

GLAMPING NOMAD TENT










LIGHT LUXURY





产品参数 PRODUCT PARAMETERS

占地尺寸	6m*5m	Ground dimensions	6m*5m
占地面积	30m²	Floor area	30m²
室内尺寸	5.7m*4.6m	Interior dimensions	5.7m*4.6m
室内面积	27m²	Interior area	27m²
外部高度	3.6m	External height	3.6m
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	钢结构	Main frame	Steel structure
外帐材质	850G/pvc张拉膜	Outer tent material	850G PVC tensioned membrane
内帐材质	环保布料防霉5年以上	Inner tent material	Eco-friendly fabric, mold-resistant for over 5 years.
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

TRIANGULAR TRIBAL TENT










LIGHT LUXURY





产品参数 PRODUCT PARAMETERS

占地尺寸	6m*8.7m	Ground dimensions	6m*8.7m
占地面积	52.2m²	Floor area	52.2m²
室内尺寸	6m*8.7m	Interior dimensions	6m*8.7m
室内面积	45m²	Interior area	45m²
帐篷顶高	5.6m	peak height	5.6m
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	850g PVC张拉膜/1050g 遮光PVDF张拉膜	Outer tent material	850g PVC Tensile Membrane / 1050g Blackout PVDF Tensile Membrane
内帐材质	铝箔+保温棉 (多种材质可选)	Inner tent material	Aluminum Foil + Thermal Insulation Cotton (Various materials available)
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

GLAMPING DOUBLE-ROOF TENT









DETAILS EXPLANATION 详细说明

SPECIAL SHAPE TENTS
异形帐篷系列

1.PVDF外膜

自洁篷布，实用性强;
防水隔热，防潮防霉。

1.PVDF Cover

Self cleaning tarpaulin with strong practicality;Waterproof and heat-insulating, moisture-proof and mildew proof.

2.框架结构

仿生结构，镀锌钢管;
具备强稳定性与抗风性。

2. Frame Structure

Biomimelic structure,galvanized steel pipe;Has strong stability and wind resistance.

3.保温内帐

双层材料，多种可选;
保温隔热，美观大方。

3. Insulated Inner Cover


Double layer material,multiple optionsav ailable;Thermal insulation,beautiful and elegant.

4.钢构地台


内部钢方通作为龙骨;
外部铺设防腐木地板。


4. Steel Platform

Internal steel square tube serves as thekeel;External installation of anticorrosionwooden flooring



IRREGULAR SHAPE





产品参数 PRODUCT PARAMETERS

主体尺寸	6.5m*9m	Main dimensions	6.5m*9m
主体面积	58.5m²	Main body area	58.5m²
室内尺寸	8.1m*5.2m	Interior dimensions	8.1m*5.2m
室内面积	42m²	Interior area	42m²
外部高度	-	External height	-
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	1050g PVDF张拉膜	Outer tent material	1050g PVDF tensile membrane
内帐材质	弹力布+保温隔热装饰棉	Inner tent material	Stretch fabric + thermal insulation decorative cotton
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

SEASHELL TENT










IRREGULAR SHAPE






产品参数 PRODUCT PARAMETERS

主体尺寸	6m*8m	Main dimensions	6m*8m
主体面积	48m²	Main body area	48m²
室内尺寸	5.6m*7m	Interior dimensions	5.6m*7m
室内面积	40m²	Interior area	40m²
外部高度	-	External height	-
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	1050g PVDF张拉膜	Outer tent material	1050g PVDF tensile membrane
内帐材质	弹力布+保温隔热装饰棉	Inner tent material	Stretch fabric + thermal insulation decorative cotton
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

SNAIL TENT










IRREGULAR SHAPE





产品参数 PRODUCT PARAMETERS

主体尺寸	6.3m*9.7m	Main dimensions	6.3m*9.7m
主体面积	61.11m²	Main body area	61.11m²
室内尺寸	5.7m*8.3m	Interior dimensions	5.7m*8.3m
室内面积	41.31m²	Interior area	41.31m²
外部高度	-	External height	-
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	PVC张拉膜	Outer tent material	PVC tensile membrane
内帐材质	弹力布+保温隔热装饰棉	Inner tent material	Stretch fabric + thermal insulation decorative cotton
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, wind resistant, rainproof, and mildew proof

WATER DROP TENT










IRREGULAR SHAPE





产品参数 PRODUCT PARAMETERS

主体尺寸	6m*6m	Main dimensions	6m*6m
主体面积	72m²	Main body area	72m²
室内尺寸	6m*6m	Interior dimensions	6m*m
室内面积	28m²	Interior area	28m²
外部高度	3.4m	External height	3.4m
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	PVC850g张拉膜+ PVC透明张拉膜	Outer tent material	850g PVC tensile membrane + transparent PVC tensile membrane
内帐材质	铝箔+保温隔热 装饰棉(多种可选)	Inner tent material	Aluminum Foil + Thermal Insulation Cotton (Various materials available)
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, wind resistant, rainproof, and mildew proof

COCONUT DOME TENT









CANOPY TENT SERIES
天幕帐篷系列

1.PVC外膜

自洁篷布，实用性强;
防水隔热，防潮防霉。

1.PVC Cover

Self cleaning tarpaulin with strong practicality;Waterproof and heat-insulating, moisture-proof and mildew proof.

2.框架结构

木纹镀锌管，美观耐用;
保证结构强度，寿命长。

2. Frame Structure

Wood grain galvanized pipe, beautiful anddurable;Ensure structural strength andlong lifespan.

3.节点细节

连接件为套管连接方式;
增强结构稳定与抗风性。

3. Node Details

The connector is a sleeve connection method;Enhance structural stability andwind resistance.

4.钢构地台

内部钢方通作为龙骨;
外部铺设防腐木地板。


4. Steel Platform

Internal steel square tube serves as thekeel;External installation of anticorrosionwooden flooring



CANOPY





产品参数 PRODUCT PARAMETERS

主体尺寸	14m*14m	Main dimensions	14m*14m
主体面积	196m²	Main body area	196m²
室内尺寸	13m*13m	Interior dimensions	13m*13m
室内面积	132.7m²	Interior area	132.7m²
外部高度	8.3m	External height	8.3m
帐篷边高	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管/防腐圆木	Main frame	Baked enamel galvanized steel pipe /Anti-corrosion round log
外帐材质	420g帆布/850g 遮光PVC张拉膜	Outer tent material	420g canvas / 850g blackout PVC tension membrane
内帐材质	透明全包围围挡	Inner tent material	Transparent full-enclosure fence
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

INDIAN TIPI TENT










CANOPY





产品参数 PRODUCT PARAMETERS

主体尺寸	13m*13m	Main dimensions	13m*13m
主体面积	132.7m²	Main body area	132.7m²
室内尺寸	12m*12m	Interior dimensions	12m*12m
室内面积	113m²	Interior area	113m²
外部高度	3.4m	External height	3.4m
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	850gPVC张拉膜/950g PVC张拉膜围挡	Outer tent material	850g PVC tension membrane / 950g PVC tension membrane fence
内帐材质	-	Inner tent material	-
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

DOME CANOPY TENT










CANOPY





产品参数 PRODUCT PARAMETERS

主体尺寸	4m*4m	Main dimensions	4m*4m
主体面积	16m²	Main body area	16m²
室内尺寸	3m*3m	Interior dimensions	3m*3m
室内面积	7.06m²	Interior area	7.06m²
外部高度	6.5m	External height	6.5m
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管/防腐圆木	Main frame	Baked enamel galvanized steel pipe /Anti-corrosion round log
外帐材质	900D牛津布 PEVA环保材料	Outer tent material	900D Oxford Cloth, PEVA Eco-friendly Material
内帐材质	-	Inner tent material	-
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	阻燃、防潮防霉、灵活安装、不限环境	Overall performance	Fire Retardant, Moisture & Mildew Proof, Flexible Installation, Suitable for Any Environment

LANTERN TENT










CANOPY





产品参数 PRODUCT PARAMETERS

主体尺寸	6m*6m	Main dimensions	6m*6m
主体面积	36m²	Main body area	36m²
室内尺寸	5.8m*5.8m	Interior dimensions	5.8m*5.8m
室内面积	34m²	Interior area	34m²
外部高度	6m	External height	6m
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	1050g PVDF张拉膜	Outer tent material	1050g PVDF Tension Membrane
内帐材质	-	Inner tent material	-
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, wind resistant, rainproof, and mildew proof

INDIAN DOME TIPI TENT











CANOPY





产品参数 PRODUCT PARAMETERS

主体尺寸	13m*13m	Main dimensions	13m*13m
主体面积	169m²	Main body area	169m²
室内尺寸	12.8m*12.8m	Interior dimensions	12.8m*12.8m
室内面积	164m²	Interior area	164m²
外部高度	5.2m	External height	5.2m
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	PVC张拉膜	Outer tent material	PVC Tension Membrane
内帐材质	-	Inner tent material	-
使用寿命	10年	Service life	ten years
抗风等级	10级	Wind resistance rating	level 10
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, wind resistant, rainproof, and mildew proof

VAULT CANOPY TENT










CANOPY





产品参数 PRODUCT PARAMETERS

主体尺寸	11m*11m	Main dimensions	11m*11m
主体面积	121m²	Main body area	121m²
室内尺寸	11m*8.6m	Interior dimensions	11m*8.6m
室内面积	95m²	Interior area	95m²
外部高度	8.4m	External height	8.4m
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	900D牛津布PEVA 环保材料/弹力布	Outer tent material	900D Oxford Cloth, PEVA Eco-friendly Material / Elastic Fabric
内帐材质	-	Inner tent material	-
使用寿命	10年	Service life	ten years
抗风等级	8级	Wind resistance rating	level 8
整体性能	抗紫外线、抗风、防雨、防霉	Overall performance	UV resistant, wind resistant, rainproof, and mildew proof

FLOWER-SHAPED CANOPY TENT










CANOPY





产品参数 PRODUCT PARAMETERS

主体尺寸	7m*7m	Main dimensions	7m*7m
主体面积	49m²	Main body area	49m²
室内尺寸	-	Interior dimensions	-
室内面积	-	Interior area	-
外部高度	4m	External height	4m
帐篷展开面积	-	tarpaulin unfolded area	-

产品信息 DETAILS EXPLANATION

主体框架	烤漆镀锌钢管	Main frame	Painted Galvanized Steel Tube
外帐材质	纱幔	Outer tent material	Sheer Curtain
内帐材质	-	Inner tent material	-
使用寿命	10年	Service life	ten years
抗风等级	8级	Wind resistance rating	level 8
整体性能	灵活安装、不限环境	Overall performance	Flexible Installation, Suitable for All Environments

CLOUD-SHAPED CANOPY TENT










CANOPY





产品参数 PRODUCT PARAMETERS

主体尺寸	8m*16m	Main dimensions	7m*7m
主体面积	49m²	Main body area	49m²
室内尺寸	-	Interior dimensions	-
室内面积	106m²	Interior area	106m²
帐篷顶高	5.2m	Peak height of ten	5.2m
帐篷边高	2.1m	Side height of the tent	2.1m

产品信息 DETAILS EXPLANATION

主体框架	镀锌钢管	Main frame	Galvanized Steel Pipe
外帐材质	PVC750篷布	Outer tent material	750D PVC Tarpaulin
内帐材质	-	Inner tent material	-
使用寿命	10年	Service life	ten years
抗风等级	8级	Wind resistance rating	level 8
整体性能	灵活安装、不限环境	Overall performance	Flexible Installation, Suitable for All Environments

CLOUD CURTAIN CANOPY TENT









广州森峄特建筑科技有限公司

GUANGZHOU SENLAITE CONSTRUCTION TECHNOLOGY CO., LTD

- 地址:广州市番禺区石楼镇石清公路736号1栋102
- 邮箱:senxia.calvin@gmail.com
- 电话:86-18566496632
- 网址:senlaitezp.com





Telephone:
86-18566496632

Email:
senxia.calvin@gmail.com

Website:
senlaitezp.com

Address:
Room 102, Building 1, No. 736 Shiqing Highway,
Shilou Town, Panyu District, Guangzhou City

I 客户案例 CUSTOMER CASES















广州森崃特建筑科技有限公司

Guangzhou Senlaite Construction Technology Co., Ltd.

本图册仅作示意参考。因拍照和印刷原因，产品颜色、纹理可能与实物存在差异，请以产品实物为准。

This brochure is for illustrative reference only. Due to photography and printing variations, the color and texture of products may differ from the actual goods; please refer to the physical product.

所含图片可能包含非标准配置部件，产品技术参数及商务条款可能因法规调整而变更，购买前请务必联系业务经理获取详细信息。

Pictures contained may include non-standard optional parts. Product specifications and commercial terms are subject to change due to regulatory updates. Kindly contact your sales manager for full details prior to purchase.